



PROJECT	TYPE	CATALOG NUMBER
---------	------	----------------

**9432 SQUARE FIXED WALLWASH ACCENT** - The VF100 Series of recessed downlight and housing configurations represent the pinnacle of innovation and design of small aperture products for the architectural industry. Available in an LED retrofit that works with SORAA®.

Measurements in ( ) are metric equivalents.



### Specifications

#### SQUARE WALLWASH

- Recessed fixed wallwash
- 4.00" square die-cast aluminum trim
- Linear spread lens
- 1.75" regress for greater cut-off
- Ball catch retainer for easy trim insertion and removal with safety cable included
- Powder coat finish

#### TRIM ORDERING INFO

TRIM SERIES	TRIM FINISH
<b>9432</b>  <b>4.00" SQUARE</b> Fixed Wallwash Die-Cast Aluminum Trimless Insert Linear Spread Lens	<b>MB</b> Black <b>MW</b> White <b>XX</b> Custom





Example: **9432-WW-CL**

#### HOUSING ORDERING INFO

SERIES	WATTAGE / LAMP	POWER SUPPLY	VOLTAGE	OPTIONS
<b>VFS-1AA-S</b> <b>Mini Square Trimless</b> New Construction Housing	<b>020MR16X</b> MR16 20W <b>037MR16X</b> MR16 37W <b>050MR16X</b> MR16 50W	<b>ET</b> Electronic Transformer <b>MT</b> Magnetic Transformer <b>TT</b> Q-Tran Toroidal Transformer*	<b>1</b> 120V <b>2</b> 277V	<b>IC</b> Insulated Ceiling*  * MR16 only  - 20W max VFS-1AA-S mini housing  - 37W max VFS-1BA-S small housing
	<b>015MR16X</b> MR16 15W LED Retrofit	* 20W max. VFS-1AA-T mini housing		
<b>VFS-1BA-S</b> <b>Small Square Trimless</b> New Construction Housing  Black finish is standard	<b>020CM16X</b> 20W CMHMR16* <b>039CM16X</b> 39W CMHMR16*	<b>EB</b> Electronic Metal Halide Ballast*		
	* Not available in VFS-1AA-S mini housing	* Not available in VFS-1AA-S mini housing		

Ordering Example: **VFS-1BA-S-035MR16X-ET-1-IC**

Measurements in ( ) are metric equivalents.



## Specifications

### SQUARE TRIMLESS HOUSING

- Housing of all steel construction
- Adjustable plaster frame
- Black powder coat finish
- **Ceiling Cut-out - 6.50" x 6.50"**

### LAMPS SOURCE *(lamp not included)*

- 12V MR16 50W max - Derate Labels Available
- CMHMR16 in 20W or 39W
- LED Retrofit 15W max - Works with SORAA®

### ELECTRICAL

- Integral electronic, magnetic or toroidal transformer, metal halide ballast
- Electrical wiring compartment integrated into housing construction
- Thermal protection
- Easy maintenance access through ceiling opening
- Rated for through-branch wiring
- Dimmable (12V)



### MOUNTING

- Butterfly brackets for commercial installation in drywall or other mud in ceiling types
- Perforated plate adjusts for 1/2", 5/8", 3/4" & 1.0" ceiling thickness
- Includes Heavy-Duty **L-Bars™** hanger bar system for residential installation

### LABELS

- Suitable for damp location
- **Air-Tight / IC Optional**

### Adjustable Trimless Detail



**(VFS-1AA-S)**  
**MINI SIZED HOUSING**





**(VFS-1BA-S)**  
**SMALL SIZED HOUSING**




**IC / Air-Tight**

Measurements in ( ) are metric equivalents.



### Trimless Detail



## Specifications

### SQUARE TRIMLESS REMODEL HOUSING

- Galvanized steel construction
- Adjustable housing retaining clips
- Black powder coat finish
- **Ceiling Cut-out - 4.20" x 4.20"**

### LAMPS SOURCE *(lamp not included)*

- 12V MR16 50W max - Derate Labels Available
- CMHMR16 in 20W or 39W
- LED Retrofit 15W max - Works with SORAA®

### ELECTRICAL

- Electronic transformer or metal halide ballast
- Electrical wireway cover
- Thermal protection
- Easy maintenance access through ceiling opening
- Dimmable (12V)

### MOUNTING

- Butterfly brackets for commercial installation in drywall or other mud in ceiling types

### LABELS

- Type Non-IC
- Suitable for damp location

## REMODEL HOUSING

### ORDERING INFO

HOUSING SERIES	WATTAGE / LAMP	POWER SUPPLY	VOLTAGE	OPTIONS
<b>VFS-1BR-S</b>	<b>020MR16X</b> MR16 20W <b>037MR16X</b> MR16 37W <b>050MR16X</b> MR16 50W	<b>ET</b> Electronic Transformer	<b>1</b> 120V <b>2</b> 277V	<b>AT</b> Air-Tight
<b>VF100 SERIES</b> 4.00" Square Trimless Insert Remodel Housing	<b>015MR16X</b> MR16 15W LED Retrofit			
Black finish standard	<b>020CM16X</b> 20W CMHMR16 <b>039CM16X</b> 39W CMHMR16	<b>EB</b> Electronic Metal Halide Ballast		
<b>VFS-1BR-S</b>				

Order Example: **VFS-1BR-S-020MR16X-ET-1-AT**